



瑞普光农业照明

Ruipuguang Agricultural Lighting

深圳市瑞普光农业照明有限责任公司

Shenzhen Ruipuguang Agricultural Lighting Co., Ltd

中山市瑞农照明有限公司

Zhongshan Ruinong Lighting Co., LTD



瑞普光农业照明

Ruipuguang Agricultural Lighting

公司简介

COMPANY PROFILE

Company Profile:

Shenzhen Ruipuguang Agricultural Lighting Co., Ltd. has 13 years of LED light source packaging experience. Relying on the advantages of LED packaging technology, we are more proficient in the principle and application of LED light sources. For the application of LED light in the field of plants, we have passed the technology of international manufacturers. For communication and practical application, properly adjust the various precise spectra of LED light to achieve the best application of plants in the growth process.

In the field of ecological agriculture and facility agriculture, our company can provide high-quality LED plant lighting products and technical support services such as indoor hydroponics, tissue culture, growth supplementary light, seedling cultivation, flowering artificial intervention, etc., to realize domestic advanced modern vegetable factories, Greenhouse vegetable supplement light, germ, seedling flower cultivation and planting, etc., thus becoming a professional manufacturer of innovative and fast-growing plant LED lighting. Let the development of modern high-tech agriculture be industrialized, and have scientific achievements in the aspects of different plants and edible fungi affecting seedling cultivation, light and wavelength of plant growth, and realize global factory planting!

Quality policy:

keep improving, create excellent quality, keep innovating, and build a first-class enterprise!

Service tenet:

quality first, reputation first, to provide customers with value-added services!

Environmental concept:

environmental protection, sustainable development, green realization!



瑞普光农业照明
RUIPU GUANG AGRICULTURAL LIGHTING

Product Catalog



P.2



P.4




P.6



P.7



P.9



P.11



P.13



P.14



P.16



P.18



P.20



P.21



P.22



P.24



瑞普光农业照明
RUIPU GUANG AGRICULTURAL LIGHTING

Clip LED Grow Light



Clip LED Grow Light



RPD-CLIP-USB2H




RPD-CLIP-USB3H



RPD-CLIP-USB3H


Model Number	Input Voltage	Plug Type	LED Color	Switch Style	Timer Function
RPD-CLIP-USB2H	DC5V	USB	Blue&Red	Button	3/9/12Hrs
RPD-CLIP-USB3H	DC5V	USB	Blue&Red	Button	3/9/12Hrs
RPD-CLIP-USB4H	DC5V	USB	Blue&Red	Button	3/9/12Hrs



RPD-CLIP-AC2H



RPD-CLIP-AC3H



RPD-CLIP-AC4H

Model Number	Input Voltage	Input Power	LED Color	Switch Style	Timer Function
RPD-CLIP-AC2H	AC 110V/220V	10W	Full Spectrum	Button	4/8/12Hrs
RPD-CLIP-AC3H	AC 110V/220V	15W	Full Spectrum	Button	4/8/12Hrs
RPD-CLIP-AC4H	AC 110V/220V	20W	Full Spectrum	Button	4/8/12Hrs



瑞普光农业照明
RUIPU GUANG AGRICULTURAL LIGHTING

Table LED Grow Light





瑞普光农业照明
RUIPU GUANG AGRICULTURAL LIGHTING

Table LED Grow Light



RPD-TABLE-USB2H




RPD-TABLE-USB3H



RPD-TABLE-USB4H


Model Number	Input Voltage	Plug Type	LED Color	Switch Style	Timer Function
RPD-TABLE-USB2H	DC5V	USB	Blue&Red	Button	3/9/12Hrs
RPD-TABLE-USB3H	DC5V	USB	Blue&Red	Button	3/9/12Hrs
RPD-TABLE-USB4H	DC5V	USB	Blue&Red	Button	3/9/12Hrs



RPD-TABLE-AC2H



RPD-TABLE-AC3H



RPD-TABLE-AC4H



RPD-TABLE-AC6H

Model Number	Input Voltage	Input Power	LED Color	Switch Style	Timer Function
RPD-TABLE-AC2H	AC 110V/220V	10W	Full Spectrum	Button	4/8/12Hrs
RPD-TABLE-AC3H	AC 110V/220V	15W	Full Spectrum	Button	4/8/12Hrs
RPD-TABLE-AC4H	AC 110V/220V	20W	Full Spectrum	Button	4/8/12Hrs
RPD-TABLE-AC6H	AC 110V/220V	30W	Full Spectrum	Button	4/8/12Hrs



瑞普光农业照明
RUIPU GUANG AGRICULTURAL LIGHTING

Floor LED Grow Light

IT CAN IRRADIATE 2.4M!!

PLANT FILL LIGHT



/ ADJUSTABLE PHOTOMETRIC INTENSITY / IRRADIATION HEIGHT HOSE DESIGN /
THE NEW DESIGN IS TO GIVE YOU A GOOD PRODUCT



RPD-FL00R-DC4H



RPD-FL00R-AC4H



RPD-FL00R-AC6H



RPD-FL00R-AC8H

Model Number	Input Voltage	Input Power	LED Color	Switch Style	Timer Function
RPD-FL00R-DC4H	DC 5V	10W	Blue&Red	Button	3/9/12Hrs
RPD-FL00R-AC4H	AC 110V/220V	20W	Full Spectrum	Button	4/8/12Hrs
RPD-FL00R-AC6H	AC 110V/220V	30W	Full Spectrum	Button	4/8/12Hrs
RPD-FL00R-AC8H	AC 110V/220V	40W	Full Spectrum	Button	4/8/12Hrs



瑞普光农业照明
RUIPU GUANG AGRICULTURAL LIGHTING

Indoor LED Grow Light





Indoor LED Grow Light



RPD-OPZDZ-200W



RPD-OPZDZ-300W



RPD-OPZDZ-400W

Model Number	Input Power	Input Voltage	LED Color	PPF	Beam Angle	Product Size
RPD-OPZDZ-200W	200W	AC100~265V	Full Spectrum	540 μ mol/s	130°	51x60x5.2cm
RPD-OPZDZ-300W	300W	AC100~265V	Full Spectrum	810 μ mol/s	130°	81x60x5.2cm
RPD-OPZDZ-400W	400W	AC100~265V	Full Spectrum	1080 μ mol/s	130°	115x51.5x5.2cm



RPD-OPZDZ-600W



RPD-OPZDZ-800W



RPD-OPZDZ-1000W

Model Number	Input Power	Input Voltage	LED Color	PPF	Beam Angle	Product Size
RPD-OPZDZ-600W	600W	AC100~265V	Full Spectrum	1620 μ mol/s	130°	115x80.5x5.2cm
RPD-OPZDZ-800W	800W	AC100~265V	Full Spectrum	2160 μ mol/s	130°	115x113x5.2cm
RPD-OPZDZ-1000W	1000W	AC100~265V	Full Spectrum	2700 μ mol/s	130°	115x113x5.2cm



Pitaya/Chrysanthemum LED Flowering Lamp





Pitaya/Chrysanthemum LED Flowering Lamp



RPD-PITAYA-360D5W



RPD-PITAYA-360D12W



RPD-FLOWERING-15W



RPD-Waterproof Socket



RPD-FLOWERING-A12W

Model Number	Input Power	Input Voltage	LED Color	PPF	Beam Angle	Product Size	IP
RPD-PITAYA-360D5W	5W	AC175~265V	Full Spectrum	24 μ mol/s	360°	Φ 50xH100mm	66
RPD-PITAYA-360D12W	12W	AC175~265V	Full Spectrum	24 μ mol/s	360°	Φ 45xH160mm	66
RPD-FLOWERING-15W	15W	AC175~265V	Full Spectrum	30 μ mol/s	120°	Φ 118xH92mm	66
RPD-FLOWERING-A12W	12W	AC100~265V	Full Spectrum	24 μ mol/s	120°	Φ 80xH140mm	66




Foldable LED Grow Light




Foldable LED Grow Light




RPD-3A1-30W



RPD-4A1-40W



RPD-5A1-50W



RPD-6A1-60W

Model Number	Input Power	Input Voltage	LED Color	PPF	Beam Angle	Product Size
RPD-3A1-30W	30W	AC100~265V	Full Spectrum	63 μ mol/s	120°	Φ340xH115mm
RPD-4A1-40W	40W	AC100~265V	Full Spectrum	84 μ mol/s	120°	Φ340xH115mm
RPD-5A1-50W	50W	AC100~265V	Full Spectrum	105 μ mol/s	120°	Φ350xH115mm
RPD-6A1-60W	60W	AC100~265V	Full Spectrum	126 μ mol/s	120°	Φ370xH115mm

UFO LED Grow Light



RPD-UFO-100W



RPD-UFO-150W




RPD-UFO-200W



RPD-UFO-250W

Model Number	Input Power	Input Voltage	LED Color	PPF	Beam Angle	Product Size	IP
RPD-UFO-100W	100W	AC100~265V	Full Spectrum	230 μ mol/s	120°	Φ250xH130mm	66
RPD-UFO-150W	150W	AC100~265V	Full Spectrum	345 μ mol/s	120°	Φ300xH130mm	66
RPD-UFO-200W	200W	AC100~265V	Full Spectrum	460 μ mol/s	120°	Φ350xH130mm	66
RPD-UFO-250W	250W	AC100~265V	Full Spectrum	575 μ mol/s	120°	Φ400xH130mm	66

Greenhouse Toplighting



Greenhouse Toplighting



RPD-TOP-300W



RPD-TOP-400W



RPD-TOP-600W



RPD-TOP-800W



RPD-TOP-1040W

Model Number	Input Power	Input Voltage	Efficacy	PPF	Beam Angle	Product Size	IP
RPD-TOP-300W	300W	AC220/AC400V	3.5 μ mol/J	1050 μ mol/s	120°	L53xW9.5xH13.5cm	66
RPD-TOP-400W	400W	AC220/AC400V	3.5 μ mol/J	1400 μ mol/s	120°	L69xW9.5xH13.5cm	66
RPD-TOP-600W	600W	AC220/AC400V	3.5 μ mol/J	2100 μ mol/s	120°	L53xW22.5xH13.5cm	66
RPD-TOP-800W	800W	AC220/AC400V	3.5 μ mol/J	2800 μ mol/s	120°	L69xW22.5xH13.5cm	66
RPD-TOP-1040W	1040W	AC220/AC400V	3.5 μ mol/J	3640 μ mol/s	120°	L69xW31.5xH8cm	66

Greenhouse Interlighting



Greenhouse Interlighting





RPD-CT45-80W / RPD-CT45-100W



RPD-CT32-70W

Model Number	Input Power	Input Voltage	Efficacy	PPF	Beam Angle	Product Size	IP
RPD-CT45-80W	80W	AC220/AC400V	3.3 μ mol/J	260 μ mol/s	2x120°	Φ 45xL2000mm	66
RPD-CT45-100W	100W	AC220/AC400V	3.3 μ mol/J	330 μ mol/s	2x120°	Φ 45xL2500mm	66
RPD-CT32-70W	70W	AC100~265V	3.3 μ mol/J	230 μ mol/s	2x120°	Φ 32xL2500mm	66

Tube LED Grow Light



T5 Tube LED Grow Light



RPD-T5-600 / RPD-T5-900 / RPD-T5-1000 / RPD-T5-1200



RPD-WPT5-600 / RPD-WPT5-900 / RPD-WPT5-1000 / RPD-WPT5-1200

Model Number	Input Power	Input Voltage	LED Color	PPF	Beam Angle	Product Size	IP
RPD-T5-600	15W	AC100~265V	Full Spectrum	33 μ mol/s	130°	L600xW25xH25mm	/
RPD-T5-900	20W	AC100~265V	Full Spectrum	45 μ mol/s	130°	L900xW25xH25mm	/
RPD-T5-1000	24W	AC100~265V	Full Spectrum	55 μ mol/s	130°	L1000xW25xH25mm	/
RPD-T5-1200	30W	AC100~265V	Full Spectrum	66 μ mol/s	130°	L1200xW25xH25mm	/
RPD-WPT5-600	15W	AC100~265V	Full Spectrum	33 μ mol/s	130°	L600xW25xH25mm	65
RPD-WPT5-900	20W	AC100~265V	Full Spectrum	45 μ mol/s	130°	L900xW25xH25mm	65
RPD-WPT5-1000	24W	AC100~265V	Full Spectrum	55 μ mol/s	130°	L1000xW25xH25mm	65
RPD-WPT5-1200	30W	AC100~265V	Full Spectrum	66 μ mol/s	130°	L1200xW25xH25mm	65

T8 Tube LED Grow Light



RPD-T8-1200 / RPD-T8-1500 / RPD-T8-2400



RPD-WPT8-1200 / RPD-WPT8-1500 / RPD-WPT8-2400

Model Number	Input Power	Input Voltage	LED Color	PPF	Beam Angle	Product Size	IP
RPD-T8-1200	45W	AC100~265V	Full Spectrum	110 μ mol/s	130°	L1200xW36xH30mm	/
RPD-T8-1500	50W	AC100~265V	Full Spectrum	125 μ mol/s	130°	L1500xW36xH30mm	/
RPD-T8-2400	80W	AC100~265V	Full Spectrum	200 μ mol/s	130°	L2400xW36xH30mm	/
RPD-WPT8-1200	45W	AC100~265V	Full Spectrum	110 μ mol/s	130°	L1200xW36xH30mm	66
RPD-WPT8-1500	50W	AC100~265V	Full Spectrum	125 μ mol/s	130°	L1500xW36xH30mm	66
RPD-WPT8-2400	80W	AC100~265V	Full Spectrum	200 μ mol/s	130°	L2400xW36xH30mm	66

T16 Tube LED Grow Light



RPD-T16-1200 / RPD-T16-1500 / RPD-T16-2400





RPD-WPT16-1200 / RPD-WPT16-1500 / RPD-WPT16-2400

Model Number	Input Power	Input Voltage	LED Color	PPF	Beam Angle	Product Size	IP
RPD-T16-1200	100W	AC100~265V	Full Spectrum	250 μ mol/s	130°	L1200xW54xH42mm	/
RPD-T16-1500	120W	AC100~265V	Full Spectrum	300 μ mol/s	130°	L1500xW54xH42mm	/
RPD-T16-2400	180W	AC100~265V	Full Spectrum	450 μ mol/s	130°	L2400xW54xH42mm	/
RPD-WPT16-1200	100W	AC100~265V	Full Spectrum	250 μ mol/s	130°	L1200xW54xH42mm	65
RPD-WPT16-1500	120W	AC100~265V	Full Spectrum	300 μ mol/s	130°	L1500xW54xH42mm	65
RPD-WPT16-2400	180W	AC100~265V	Full Spectrum	450 μ mol/s	130°	L2400xW54xH42mm	65




瑞普光农业照明
RUIPU GUANG AGRICULTURAL LIGHTING

T14 Double-Side LED Grow Light



T14 Double-Side LED Grow Light



Model Number	Input Power	Input Voltage	LED Color	PPF	Beam Angle	Product Size	IP
RPD-T14-1200	70W	AC100~265V	Full Spectrum	250 μ mol/s	2*120°	Φ 45xL1200mm	65
RPD-T14-1500	90W	AC100~265V	Full Spectrum	300 μ mol/s	2*120°	Φ 45xL1500mm	65
RPD-T14-2000	120W	AC100~265V	Full Spectrum	360 μ mol/s	2*120°	Φ 45xL2000mm	65
RPD-T14-2400	150W	AC100~265V	Full Spectrum	450 μ mol/s	2*120°	Φ 45xL2400mm	65



Strip LED Grow Light



Strip LED Grow Light



RPD-RBWPSTRIP
-AC220V10W



RPD-SUNWPSTRIP
-AC220V10W



RPD-RBUVWPSTRIP
-AC220V8W



RPD-SUNSTRIP
-DC24V15W

Model Number	Input Power	Input Voltage	LED Color	PPF/m	Beam Angle	LED Quantity	IP
RPD-RBWPSTRIP -AC220V10W	10W/M	AC220V	Full Spectrum	20 μ mol/s	120°	180pcs/m	65
RPD-SUNWPSTRIP -AC220V10W	10W/M	AC220V	Full Spectrum	200 μ mol/s	120°	180pcs/m	65
RPD-RBUVWPSTRIP -AC220V8W	8W/M	AC220V	Full Spectrum	16 μ mol/s	120°	120pcs/m	65
RPD-SUNSTRIP -DC24V15W	15W/M	DC24V	Full Spectrum	30 μ mol/s	120°	240pcs/m	65

WhatsApp



Eric

WhatsApp



Kelly

WeChat



Eric

WeChat



Kelly

深圳市瑞普光农业照明有限责任公司
Shenzhen Ruipuguang Agricultural Lighting Co., Ltd.

中山市瑞农照明有限公司
Zhongshan Ruinong Lighting Co., LTD

Office address:
1-27-1, Building 5 and 7, Hongdeyuan, Qiaohe Road, Qiaotou
Community, Fuhai Street, Baoan District, Shenzhen

Address: 7th Floor, Building C, No. 77, Yihui 1st Road, Sansha Maohui
Industrial Zone, Henglan Town, Zhongshan City, Guangdong Province

Office telephone: +86-0755-27798491
Phone number: +86-13360056833 +86-13570881709
WhatsApp: +8613360056833
Website: www.rpdled.com
E-mail:
eric@rpdled.com rpdled@gmail.com
kelly@rpdled.com kelly563200851@gmail.com